



# CORONAVIRUS DISEASE 2019 (COVID-19) SITUATIONAL REPORT #408 MARCH 4, 2022



## HIGHLIGHTS

Globally, COVID-19 cases have surpassed 438.9 million with more than 5.9 million deaths.

In the United States, the total number of cases stands at 78,977,146 and deaths at 952,223.

Masks are no longer required in most indoor settings for unvaccinated people, though they still remain strongly recommended. Find out where you still need to wear masks [HERE](#).

According to the Centers for Disease Control and Prevention (CDC), the number of COVID-19 related deaths for the American Indian/Alaska Natives (AI/ANs) reached 10,259 as of last month. This somber statistic is a reminder of how devastating COVID-19 has been for Tribal nations. We mourn the loss of our family members, friends, neighbors, and Tribal citizens due to COVID-19. As the COVID-19 pandemic continues, it is important that Tribal citizens remain vigilant. The best tool to prevent the worst outcomes from the virus is getting your vaccine and booster. The CDC data reinforces the importance of the vaccine and booster. The COVID-19 weekly death rate for the AI/AN community fell immediately after vaccinations began to be administered. The AI/AN weekly death rate peaked at 311 on December 19, 2020. This date coincides with when Pfizer and Moderna were both granted emergency use authorization. For the following six months, weekly Covid-19 deaths in Indian Country decreased to a low of 12 on June 26, 2021. Weekly deaths began to increase again after June 26, 2021 although they have never reached the peak of 311 from pre-vaccinated times. When the Delta variant was introduced into the community, weekly deaths in Indian Country began to rise and peaked on September 11, 2021 at 160, approximately half of the pre-vaccinated maximum weekly death toll.

## UNITED STATES

### COVID-19: U.S. at a Glance\*

- Total cases: 78,977,146
- Total deaths: 952,223
- Jurisdictions reporting cases: 55 (50 states, District of Columbia, Guam, Puerto Rico, the Northern Mariana Islands, and the U.S. Virgin Islands)

\*As of April 14, 2020, CDC case counts and death counts include both confirmed and probable cases and deaths. This change was made to reflect an interim COVID-19 position statement issued by the Council for State and Territorial Epidemiologists on April 5, 2020.

A confirmed case or death is defined by meeting confirmatory laboratory evidence for COVID-19.


A probable case or death is defined by:

- i) meeting clinical criteria AND epidemiologic evidence with no confirmatory laboratory testing performed for COVID-19; or ii) meeting presumptive laboratory evidence AND either clinical criteria OR epidemiologic evidence; or iii) meeting vital records criteria with no confirmatory laboratory testing performed for COVID-19.
- State and local public health departments are now testing and publicly reporting their cases. In the event of a discrepancy between CDC cases and cases reported by state and local public health officials, data reported by states should be considered the most up to date.

### National Laboratory Testing Data

- Total tests reported: 822,566,285
- Positive tests reported: 77,507,028
- Percent of positive tests (7-day): 3.7%

US COVID-19 7-Day Case Rate per 100,000, by State/Territory






# CORONAVIRUS DISEASE 2019 (COVID-19) SITUATIONAL REPORT #408 MARCH 4, 2022



## COVID-19 HOSPITALIZATIONS BY RACE/ETHNICITY, CA.

CDC data shows that the statewide AIAN COVID-19 hospitalization rate for the week ending on 2/26/22 is 0.0 per 100,000, which is lower when compared to Whites (3.4 per 100,000).



## COVID-19 CASES BY INDIAN HEALTH SERVICES AREA

	NEGATIVE CASES	POSITIVE CASES	TESTED
ALASKA	829,563	45,170	1,000,809
ALBUQUERQUE	105,865	13,142	139,732
BEMIDJI	258,367	28,286	287,575
BILLINGS	132,245	13,174	149,883
CALIFORNIA	139,322	18,917	165,341
GREAT PLAINS	208,922	25,188	236,254
NASHVILLE	131,987	16,348	153,140
NAVAJO	327,161	65,906	458,992
OKLAHOMA CITY	829,475	156,657	996,655
PHOENIX	239,643	42,786	283,677
PORTLAND	196,863	18,242	215,845
TUCSON	66,132	8,592	74,984


\*as of 3/2/2022

## CALIFORNIA

As of March 4, 2022, there were a total of 8,399,677 positive cases and 85,353 deaths in California.


Confirmed positive cases by gender:

- Female: 4,283,835
- Male: 3,947,848
- Unknown: 167,993



Confirmed positive cases by age:

- Age 0-17: 1,595,939
- Age 18-49: 4,619,822
- Age 50-64: 1,427,945
- Age 65 and older: 755,971





# CORONAVIRUS DISEASE 2019 (COVID-19) SITUATIONAL REPORT #408 MARCH 4, 2022



California COVID-19 threat level: **MEDIUM**

## DAILY NEW CASES

● **18.3** PER 100K

COVID-19 NOT CONTAINED AND DAILY NEW CASES ARE AT MEDIUM LEVELS

## INFECTION RATE

● **0.75**

COVID-19 IS STILL SPREADING AT LOW LEVELS

## POSITIVE TEST RATE

● **3.2%**


INDICATES MEDIUM TESTING POSITIVITY

Lab tests reported statewide: 148,551,611      7-day test positivity rate: 2.5%

Numerous public health labs in California are testing for COVID-19 samples. Click [HERE](#) to find your nearest testing site.

## COVID-19 VARIANTS OF CONCERN, CALIFORNIA

As of March 2, 475,118 samples have been sequenced in California. In February 2022, 6% of 312,647 cases in California had been sequenced. In January 2022, 2% of 2,520,336 cases were sequenced. In December 2021, 9% of 694,243 cases were sequenced. The chart below shows the percent of specimens sequenced by month that are variants of concern/interest. The table below shows the percent of specimens sequenced by recent weeks that are variants of concern/interest statewide.




Week Ending	Alpha	Beta	Gamma	Delta	Epsilon	Lambda	Mu	Omicron
2/9/22	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	99.5%
2/16/22	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	99.9%

## INDIAN HEALTH SERVICE CALIFORNIA AREA

165,341 Tribal or Urban Indian Health Program patients in the California Area have been tested for COVID-19 as of 3/2/2022.

Of these, 18,917 patients have tested positive for COVID-19 and 139,322 have tested negative for COVID-19. The 7-day rolling average positivity rate is 5.7%.

# CONFIRMED CASES AND DEATHS BY COUNTY, CALIFORNIA



## Counties with most reported cases

Los Angeles	2,671,564
San Diego	740,747
Riverside	586,785
San Bernardino	557,421
Orange	541,463

## Counties with most reported deaths


Los Angeles	30,608
San Bernardino	6,641
Orange	6,638
Riverside	6,239
San Diego	5,045

As of 3/4/2022. Source: CDPH


8,399,677 Cases  
in California

85,353 Deaths  
in California

Newly Reported Cases in California by Date




Newly Reported Deaths in California by Date



As of 3/4/2022. Source: CDPH

## Racial distribution of confirmed COVID-19 cases and deaths in California


American Indians and Alaska Natives account for 0.5% percent of the population, **0.4% of COVID-19 cases**, and **0.4% of deaths** in California. This includes a total of **30,486 cases** and **382 deaths** among American Indian and Alaska Native people in California.



Note: 10% of cases and 1% of deaths are of unknown race/ethnicity. As of 3/4/2022. Source: CDPH



Data from [California Department of Public Health \(CDPH\)](#) include all positive cases of AIAN diagnosed in California.

As of 3/4/2022. Source: CDPH





## American Indian and Alaska Native (AIAN) data reported by California to the Centers for Disease Control and Prevention (CDC)

Positive COVID-19 cases among AIAN people in California by Age Group and Gender



COVID-19 deaths among AIAN people in California by Age Group and Gender



California Department of Public Health reports COVID-19 data on American Indian and Alaska Native (AIAN) people that only identify in one racial category. Below is a comparison using CDC's data on AIAN cases and deaths in California by racial classification, using a more restrictive definition (AIAN alone) versus a more comprehensive definition (AIAN in combination with other races/ethnicities).

	Cases	Deaths
<b>AIAN alone</b>	<b>28,963</b>	<b>442</b>
<b>AIAN in combination</b>	<b>96,456</b>	<b>931</b>

As of 3/4/2022. Source: CDC

## Two sources for tracking American Indian and Alaska Native (AIAN) vaccinations administered in California

Data from [California Department of Public Health \(CDPH\)](#) does not include vaccines administered by Federal entities such as **Indian Health Service**, Department of Defense, U.S. Federal Bureau of Prisons, and Veterans Affairs.

**71,808,499**

Doses administered

**3,513,698**

People partially vaccinated

**27,853,914**

People fully vaccinated




### Doses administered by county of residence

Los Angeles	18,517,036
San Diego	6,416,733
Orange	5,876,746
Santa Clara	4,345,680
Alameda	3,526,710


As of 3/4/2022. Source: CDPH

### Fully Vaccinated by Race/Ethnicity, California

The graph to the right shows that as of March 3, 2022, 55.7% of the eligible AIAN population statewide has been fully vaccinated (vs. 65.9% among Whites)



Note: Population estimates do not include "other" or "unknown" race and ethnicity categories, therefore their percentage of state population is not available. Some race/ethnicity groups in this county may have small populations. Where the county of residence was not reported, the county where vaccinated is used. Data is not shown where there are fewer than 11 records in a group.



### Vaccination Progress by Race/Ethnicity, California.

Race	Fully Vaccinated	Partially Vaccinated	Unvaccinated	Eligible Population
<b>AIAN<sup>^</sup></b>	<b>91,265 (55.7%)</b>	<b>16,427 (10.0%)</b>	<b>56,032 (34.2%)</b>	<b>163,724</b>
Asian	4,588,427 (92.3%)	409,708 (8.2%)	*NA	4,968,603
Black	1,220,370 (56.3%)	132,080 (6.1%)	816,875 (37.7%)	2,169,325
Latino	8,562,836 (57.9%)	1,222,198 (8.3%)	4,994,276 (33.8%)	14,779,309
Native Hawaiian/ Pacific Islander	132,618 (97.0%)	15,854 (11.6%)	Unknown	136,761
White	9,534,844 (65.9%)	888,263 (6.1%)	4,044,555 (28.0%)	14,467,662
Multi-Race	623,883 (61.9%)	23,481 (2.3%)	360,928 (35.8%)	1,008,292
Other*	2,072,552	411,332	N/A	N/A
Unknown*	1,000,768	393,920	N/A	N/A


\*Percentage of vaccinations not available.

<sup>^</sup>Does not include doses administered by IHS

As of 3/2/2022. Source: CDPH




### Booster vaccination progress over time by race/ethnicity, California




\*As of 3/2/2022. Source: CDPH

### COVID-19 Vaccine Distribution among AIAN in California by Gender



\*As of 3/4/2022. Source: CDC

### COVID-19 Vaccine Distribution among AIAN in California by Age Group



Data from the **Indian Health Service (IHS)** shows the total number of vaccine doses (Pfizer, Moderna, and Johnson & Johnson/Janssen) distributed and administered by IHS Area to date

Area	Total Doses Distributed	Total Doses Administered
Albuquerque	187,690	182,288
Bemidji	227,520	170,973
Billings	122,730	76,694
California	336,130	214,326
Great Plains	222,030	153,316
Nashville	150,640	107,152
Navajo	414,780	372,779
Oklahoma City	657,265	505,715
Phoenix	308,905	235,469
Portland	151,250	104,846
Tucson	15,690	11,606

\*As of 2/28/2022. Source: IHS



## American Indian and Alaska Native (AIAN) COVID-19 cases reported by local public health departments in selected California counties

### Los Angeles County\*

AIAN Cases	4,880
AIAN Deaths	70
AIAN Tested	19,922

\*Note: Data do not include the Cities of Long Beach and Pasadena.

### San Bernardino County


AIAN Cases	6,994
AIAN Deaths	45

### San Diego County

AIAN Cases	2,943
AIAN Deaths	21
AIAN Tested	16,438

### Riverside County

AIAN Cases	2,530
AIAN Deaths	34



### Sacramento County

AIAN Cases	1,243
AIAN Deaths	18

### San Francisco County

AIAN Cases	303
AIAN Deaths	0

### Alameda County

AIAN Cases	707
AIAN Deaths	na

